



## CERTIFIED SURFACES TO WALK ON

Manufactured using chemical etching, anti-slip floor glass provides solutions to incorporate the design flexibilities of glass with the functionality of traditional flooring materials. Implemented via special combinations of raised and sunken areas, the surface also maintains a high level of anti-abrasion resistance ensuring suitability to high-traffic applications whilst safeguarding the longevity of the product.

Our anti-slip glass is available in 8mm (on request) and 10mm (as standard) thickness with options in both transparent and semi-transparent formats. With potential for incorporation of colour, lighting and special effects finishes, design possibilities are completely flexible.

Suitable for both residential and commercial applications, Mega Glass has a range of options on offer to suit any vision with a choice of safety requirements possible to guarantee compliance across a range of installations.


Key applications include Airports, Stations, Museums, Offices, Hotels, Restaurants, Shopping Centres, Showrooms, Nightclubs and Residential Dwellings (Flooring & Rooflights)


### Mega Glass Limited


Head Office and Factory - Unit 3, Foster Avenue, Woodside Park, Dunstable, LU5 5TA


t: 01582 809498 | e: info@megaglass.co.uk | w: www.megaglass.co.uk


LUNARIS-T on LOW IRON (TRANSPARENT)		
Stocked Thickness	10mm	
Stocked Dimensions	3210 x 2250mm	
Rating	R10	

PIXEL (SEMI-TRANSPARENT)		
Stocked Thickness (Limited Stock)	10mm	
Stocked Dimensions	3210 x 2250mm	
Rating	R11	

DREAM (SEMI-TRANSPARENT)		
Stocked Thickness	10mm	
Stocked Dimensions	3210 x 2250mm	
Rating	R10	

ELEGANCE (SEMI-TRANSPARENT)		
Stocked Thickness (Limited Stock)	10mm	
Stocked Dimensions	3210 x 2250mm	
Rating	R10	

SECRET (SEMI-TRANSPARENT)		
Stocked Thickness (Limited Stock)	10mm	
Stocked Dimensions	3210 x 2250mm	
Rating	R11	

TRUST (SEMI-TRANSPARENT)		
Stocked Thickness (Limited Stock)	10mm	
Stocked Dimensions	3210 x 2250mm	
Rating	R11	





MEGA GLASS

# Anti-Slip

## PRODUCT SPECIFICATION

- UK processed toughened glass to BSEN12150
- Very strong – impact pendulum test rating of 1C1 under BSEN12600
- Stock sheet size 3210 x 2250mm
- Glass can be fully processed, toughened & laminated
- Suitable for flooring & rooflight applications
- Can be surface cleaned with any chemical product
- Can be back-lit
- Scratch Resistant option available (10mm, Low Iron, R10 rated)



Option to have anti-bacterial coating applied to add hydrophobic properties, allowing water to run off the glass with ease

### WORK WITH US –

Our work speaks for itself and showcases the diversity and capabilities that we can bring and deliver to your project. Should you wish to speak to a member of the friendly team about a forthcoming project, please call Andrew (Supply Only) or Adam (Measure & Install) directly on 01582 809498

**Mega Glass Limited**

**Head Office and Factory** – Unit 3, Foster Avenue, Woodside Park, Dunstable, LU5 5TA

t: 01582 809498 | e: info@megaglass.co.uk | w: www.megaglass.co.uk

Mega Glass Limited Co Reg No: 08269861 Vat No: 152270732

